Classwork 24.

Probability.

What will you get if you toss a coin? Obviously, there will be either head or tail. If we would toss this coin many times, how many heads and how many tails we will register? The ratio of the desired outcome to the total number of possible outcomes is the probability of desired outcome to happen. In the example of a tossed coin there are two possible outcomes, head and tail, so the probability to get a head is (if it's a fair coin)



1 to 2, or $\frac{1}{2}$; or 0.5, or 50%.



It doesn't mean that if you flip the coin twice you will definitely get a head. Rather if you toss the coin 1000 times the head will appear about 500 times. More tossing, the closer the ratio is to ½. Let's check it!

If we roll a die (dice can be used as singular or plural, die is used only as singular), there are 6 possible outcomes, 1, 2, 3, 4, 5, and 6.

The probability to get 1 is $\frac{1}{6}$ (there is only 1 way to get desirable outcome and 6 possible outcomes.

Probability of an event happening = $\frac{\text{Number of ways it can happen}}{\text{Total number of outcomes}}$

What is a probability to get an even number on a die?

There are 3 possible ways to get even: 2, 4, 6. And 6 total outcomes, so this probability is 3:6 = 0.5

Let's toss a coin twice. What is a probability to get head both times?

We can look at this event (get head twice) in two different ways: First:

Probability to get a head first is $\frac{1}{2}$. The probability to get second head is also $\frac{1}{2}$. The probability to get two heads in a row is $\frac{1}{2} \cdot \frac{1}{2} = \frac{1}{4}$

Second:

There are 4 possible outcomes for two tosses:

HH, HT, TH, TT and only one (HH) possibility for us to get HH.

What is a chance to have a jackpot ticket in a lottery of 6/49? In another words, what is a probability that 6 numbers, chosen by the lottery will appear on the thicket?





The probability of the event is a ratio of numbers of the ways this event can happen to the total number of possible outcomes. In the case of lottery, there is only one winning set of six numbers. How many possible outcomes are there? We already know how to calculate it:

First number we can chose from 49, second number from 48 and so on. To calculate the number of permutations $6P49 = 49 \cdot 48 \cdot 47 \cdot 46 \cdot 45 \cdot 44$ General calculation of permutation

$$P(n,m) = n(n-1)(n-2) \cdot ... \cdot (n-m+1)$$

In our lottery example last factor of the expression for permutation is 44 = 49 - 6 + 1. $P(n,m) = n(n-1)(n-2) \cdot ... \cdot (n-m+1) =$

$$\frac{n(n-1)(n-2)\cdot...\cdot(n-m+1)\cdot(n-m)(n-m-1)\cdot...\cdot3\cdot2\cdot1}{(n-m)(n-m-1)\cdot...\cdot3\cdot2\cdot1} = \frac{n!}{(n-m)!}$$

$$6P49 = \frac{49!}{(49-6)!}$$

Order of the numbers in the set is not important, so we have to divide the number of permutations (order matter) by the number of permutations inside the group of 6. There are exactly 6! possible way to rearrange 6 objects

$$P(6.6) = 6 \cdot 5 \cdot \dots \cdot 2 \cdot 1 = \frac{6!}{(6-6)!}$$

Division by 0! Mathematicians defined 0! as 1.

$$P(6.6) = 6 \cdot 5 \cdot \dots \cdot 2 \cdot 1 = \frac{6!}{(6-6)!} = 6!$$

Number of possible combinations of 6 numbers from 49 is

$$C(49,6) = \binom{49}{6} = \frac{P(49,6)}{6!} = \frac{49!}{(49-6)!\,6!} = \frac{49\cdot48\cdot\ldots\cdot3\cdot2\cdot1}{43\cdot42\cdot41\cdot\ldots\cdot3\cdot2\cdot1\cdot6\cdot5\cdot\ldots\cdot2\cdot1}$$

$$=\frac{49\cdot48\cdot\ldots\cdot44}{6\cdot5\cdot\ldots\cdot2\cdot1}=\frac{49\cdot8\cdot47\cdot23\cdot3\cdot11}{1}=13,983,816$$

Number of combinations

$$C(n,m) = \binom{n}{m} = \frac{P(n,m)}{m!} = \frac{n!}{(n-m)!\,m!}$$

Probability to win a jackpot is $\frac{1}{13,983,816} \approx 7.15 \cdot 10^{-8}$

Monty Hall problem



In the problem, you are on a game show, being asked to choose between three doors. Behind each door, there is either a car or a goat. You choose a door. The host, Monty Hall, picks one of the other doors, which he knows has a goat behind it, and opens it, showing you the goat. (You know, by the rules of the game, that Monty will always reveal a goat.) Monty then asks whether you would like to switch your choice of door to the other remaining door. Assuming you prefer having a car more than having a goat, do you choose to switch or not to switch?

- 1. The host must always open a door that was not picked by the contestant.
- 2. The host must always open a door to reveal a goat and never the car.
- 3. The host must always offer the chance to switch between the originally chosen door and the remaining closed door.

There are three possible arrangements of one car and two goats behind three doors and the result of staying or switching after initially picking door 1 in each case

Behind door 1	Behind door 2	Behind door 3	Result if staying at door #1	Result if switching to the door offered
Goat	Goat	Car	Wins goat	Wins car
Goat	Car	Goat	Wins goat	Wins car
Car	Goat	Goat	Wins car	Wins goat



- 1. In a bag, there are three red marbles, two blue marbles and one yellow marble, find the probability of getting
 - a. red marble
 - b. blue marble
 - c. yellow marble

- 2. There are 20 students in a class, each with a different first name (there are no students with the same first name). They are all very good at math, so they decided to randomly choose a team of three to go to the math Olympiad. What is the probability that Robert, John, and Mary will be on the same team?
- 3. There are three boxes, each containing balls numbered from 0 to 9. One ball is taken out of each box. What is the probability that: a) three ones are drawn; b) three equal numbers are drawn?
- 4. A two-digit number is written at random. What is the probability that the sum of the digits of this number is equal to 5?
- 5. Three tired cowboys walked into a saloon and hung their hats on the bison horn at the entrance. When they left in the deep of the night, they were unable to distinguish one hat from another, so they each randomly picked a hat. Find the probability that none of them took their own hat.
- 6. Alex wants to see how many times a "double" comes up when throwing 2 dice. After 100 trials, Alex has 19 "double" events ... is that close to what you would expect?
- 7. Throw a dice 3 times. What's the probability that we have three 6?
- 8. From a pack of 52 cards, a card is drawn at random. What is the probability of getting a queen?
- 9. Throw 2 dices simultaneously. What is the probability that the summation of the numbers is multiply of 4?